

FOTILE

Happiness Starts in Your Kitchen

There is no single definition of happiness, but most families have a "sense of happiness" that is actually similar—with warmth, fragrance, company, sharing, and a flow of emotions. Thus, the kitchen is an integral part of creating this sense of happiness. For 28 years, FOTILE has from start to finish strived to bring "happiness" to millions of families.

We are dedicated to finding better ways of dealing with cooking fumes, making kitchens more open, and returning the kitchen to the center of the household after being relegated to the corners. Food preparation will never again be a lonely task, but rather an activity where people can see each other, work together, and share their joy. Using increasingly specialized technology and improved quality, we help more people understand the joy of cooking and perceive the true beauty of life. From nutrition to taste, we exercise meticulous diligence so that your family is never disappointed.

We ensure that your children's memories of growing up are accompanied by familiar flavours and warmth, full of security and anticipation. We make kitchens cleaner, bring families closer, and safeguard your and your family's health.

Enjoy your happy kitchen, and leave the rest to us.

From 1996 to 2024, from China to the entire world, in 35+ countries and 17,000,000+ households.

FOTILE's mission has always been "happiness". We are determined to become the happy choice for kitchens worldwide.

- 11,000+ kitchen patents for kitchen appliance*—the industry leader in innovation.
- Sell well in 35+ countries worldwide. 10,000+ family choose FOTILE every day.
- Three major technological innovation centers around the world: Dusseldorf, Germany; Osaka, Japan; and Ningbo, China.
- Revisor of international standards for range hood products.

*Patents primarily in China

*IEC 60335-2-31: "Safety of motor for Household Use and Similar Purposes/Special Requirements for Range hoods and Other Fume Extractor Appliances"



FOTILE

FOTILE

KITCHEN APPLIANCES

2024

Happiness Starts in Your Kitchen

Though no one can provide a single shared definition of happiness, most homes do share a similar “feeling of happiness” —there is warmth, familiar tastes and smells, companionship, sharing, the flow of emotions. The kitchen, most importantly, is the source of family happiness. For 28years, FOTILE has put the “For the happiness of hundreds of millions of families” first and foremost in its efforts. We strive to find better solutions to cooking fumes that would open up the kitchen from the corner of the home back to the center. Let our time in the kitchen be less lonely and filled with the joy of spending time together.

Our continuous improvements in technology and quality allow more people to experience the joy of cooking and savor life’s real beauty. From nutrition to flavor, unfailingly provide the meticulous care your family deserves. Fill you children’s memories of growing up with familiar flavors, the warmth of companionship and peace of mind. Make the kitchen cleaner, keep your family closer, and protect your and your family’s health.

Enjoy your happy kitchen and leave the rest to us. From 1996 to 2024, from China to the world, in more than 35 countries and for more than 17 million families, FOTILE makes “happiness” its mission and is determined to create happiness starting in the kitchen for people all over the world.




About FOTILE Group

- Founded in 1996, FOTILE Group has 120+ branches and more than 17,000 employees worldwide.
- With a wealth of design resources from Korea and Japan as well as high-end kitchen production equipment and advanced technologies in global industrial manufacturing, FOTILE has established research institutes in Germany, Japan, and other places.
- Currently, FOTILE Group has multiple product lines, including integrated cooking products, range hoods, sink dishwashers, built-in dishwashers, water purifiers, built-in cooktops, built-in disinfection cabinets, built-in microwave ovens, ovens, steamers, gas water heaters, air purifiers, cooking machine, etc.
- From 1996 to 2023, FOTILE's products were sold in more than 35 countries and regions such as North America, Australia, Malaysia, and Indonesia, with 10,000+ families choosing FOTILE each day.
- In 2022, FOTILE Group's revenue exceeded CNY 16.2 billion (US\$2.4 billion).



Product Innovation Yearbook



Sold to over 35 countries around the world, and 10,000+ families chose FOTILE daily

As of 2022, FOTILE's business footprints have covered more than 35 countries, including China, the United States, Canada, Indonesia and Australia, where 10,000+ families chose FOTILE daily.



Ranked among top 500 asian brands for nine consecutive years

As of 2022, FOTILE has been ranked among Top 500 Asian Brands for nine consecutive years with its unique innovation model and superior brand value.



ASIABRAND

亞洲品牌

亞洲品牌

ASIABRAND



01 Range Hood



02 Cooktop



03 Electric Oven



05 Steam Oven



07 Dishwasher



04 Microwave Oven



06 Steam-Bake Oven





FOTILE X

Redefine Your Kitchen

Designed to go beyond



- Closer**
3X stronger smoke control
- Stronger**
BLDC motor brings strong suction power
- Faster**
reconstructed air ducts, oil smoke freely
- Smarter**
Wave to control Intelligent distribution of air volume



Extraordinary Technology and humanized design

Bright and spacious new cooking experience
LED lighting, bright and not dazzling, freely adjustable in 3 levels, for a new cooking experience.



No oilfilter, just like new after wiping
New filter-free structures and glass bodies can be restored easily by wiping.



Make cooking quiet again
BLDC frequency conversion motor with multiple soft sound technology, minimum noise is as low as 42dB.



Motion Activation
No need to touch the panel, move your hand easily in one step to turn on and off the hood.



Delay Off Function
The delay function extends the exhaust time after shut off to extract the remaining fumes after cooking is finished and keep the kitchen cleaner for longer. The delay setting is 2 minutes.



Screen lock function
When cleaning and wiping the panel, long press the " " button to prevent accidental start.



RANGE HOOD FOTILE V Series

AIS Technology Prevents Cooking Fume from Escaping

Cooking fumes often slip outside the cooking range unnoticed. This may be the cause of greasy kitchen walls and children coughing all the time. Not noticing it doesn't mean we shouldn't care. The FOTILE fume collection process uses AIS Technology, providing full coverage from the center to the edges so that fumes are unable to escape.

- 

580mm Optimal Airborne Grease Control Zone
- 



Wider Chamber Entrance
- 

110-Degree Buffer Plate


Significantly Improved DPS Technology


The process by which cooking fumes are extracted into the hood is in fact a competition between the amount produced and the amount extracted. The new generation FOTILE V Pro utilizes FOTILE's direct-current inverter motor, increasing the core power by more than two times that of ordinary AC motors, enabling quick extraction of cooking fumes during peak usage.


DPS Technology powers FOTILE range hoods, with a maximum air volume of 1400m³/h, enabling faster and more powerful extraction. At the same time, the maximum static pressure of the exhaust is 830Pa, making it possible to easily overcome flue blockage.



GPS Airborne Grease Highway

- 

Direct-flow System
- 

3-stage Vertical Acceleration
- 

Auto Turbo System

Clean-Air Tech

Near-Draft Direct Exhaust without Escape of Smoke



AIS technology with wider range of smoke collection

Equipped with PMSM DC inverter brushless motor to release massive air volume at 1450m³/h, plus fume collection technologies such as automatic fume barrier and wide-flow open inlet to intercept fumes comprehensively.



DPS technology, more powerful fume suction

Powerful drive, 1100Pa high wind pressure, the great DC inverter motor substantially enhances the suction and exhaust power of the range hood's "heart", with an exhaust flow and maximum static pressure nearly twice those of the traditional AC motor, more effective and efficient in fume suction.



GPS full acceleration direct exhaust technology, faster exhaustion of fumes

The velocity of fumes passing through the bend will be greatly reduced. Different from the traditional one, the newly designed fume exhaust route changes the original curved route into a straight line to achieve accelerated guide of fumes.



Infrared induction Hood-hob linkage

No networking or coding required
When the hob is turned on, the range hood automatically turns on



RANGE HOOD


FOTILE W-Pro Series



AIS Technology

Smart Wing-like Surround Suction Plate Wider Range, Reduced Stray Smoke

This innovation significantly widens both the horizontal and vertical smoke-trapping range of the FOTILE W Pro through a wider negative core pressure area, effectively reducing the chances of smoke escaping.



Upon detective low volumes of grease and smoke, the Smart Wing-like Surround Suction Plate plate lowers by 8cm to precisely capture them. As you cook your food with searing heat, the wing-like surround suction plate lowers further to 12cm to maintain the optimal grease and smoke control zone.*




*Tested by FOTILE R&D Center; results indicate absence of observable stray smoke.

DPS System

Innovative DC Inverter Motor The FOTILE W Pro's Powerhouse

This technology allows the all-new FOTILE W Pro to quietly deliver high-power smoke extraction, for peace of mind and peaceful cooking.



Smart-Drive System

Auto Turbo System for Intelligent Extraction. Goodbye smoke congestion


The Hood will automatically accelerate and increase air pressure (up to a maximum of 720 Pa), if heavy volume of grease and smoke is detected or if the air pressure is being low. Thus you'll never have to worry about grease and smoke being trapped in your ventilation.



Direct-current Inverter




Bionic Wings Impeller



Varied R Turbine System



360° Micropore Noise Reduction



Patented Silent Volute
In-volute Pressurization: Patent
ZL200610050640.9



Patented Nautilus Air Passageway
Patent: ZL01132056.7




RANGE HOOD FOTILE Z Series



Smart Control with a Wave of the Hand

Zero contact, wave your hand to
Turn on + Auto Mode + Light in one step



Air Butler

Real-time monitoring of the kitchen environment,
timely absorption and removal of odors and harmful gases

BLDC inverter motor dual-chamber fume control

Equipped with BLDC inverter motor,
powerful, quiet and efficient—Maximum
IEC airflow 1,390 m³/h
FOC intelligent vector algorithm, with
DSP chip to match the fume exhaustion
static pressure accurately—Maximum static
pressure 1,090 Pa
Left and right dual-chamber air intake
while locking the fume sources of burners
to achieve accurate suction/exhaustion and
prevent fumes from escaping at the edge



European style + Side-draft two advantages in one

The simple look of European-style hoods and
more spacious cooking space plus, the outstanding
performance that only side-draft hoods have
Near draft direct exhaust near the source,
prevent fumes from escaping as early as possible

Denoise technology quiet and powerful

Multi-segment common frequency noise reduction
technology to reduce the overall noise during working,
with a minimum noise of only 41dB

Smart and efficient for your happiness

A high-end smart hob that makes cooking easy and efficient.

FOTILE Smart Heat Gas Hob

equipped with hood-hob linkage function to deliver precise seven-level heat

Energy gathering cover, convenient to clean


Every little detail of design adds up your happiness



COOKTOP JE SERIES

Booster Direct Injection System Four-fold high efficiency highlighting the super high heat

Super high heat comes from the leading technical strength. FOTILE Smart Heat Gas Hob, equipped with a new upgraded high heat booster direct injection system, with 4-fold efficient support of stable pressure, air intake, mixing, and combustion, to build a new combustion system, fully enhancing the width of flame zone and combustion efficiency, delivering super efficient high heat.






Smart linkage between range hood and gas hob



The hood turns on automatically after the hob turning on.
No need to switch on/off manually, the hood turns on automatically to exhaust fumes.
After turning off the heat, the hood sucks up the exhaust fumes and then turns off the hood.
No more worrying about forgetting to turn on/off the hood,
You can just focus on enjoying the cooking process.

COOKTOP INDUCTION SERIES





MORE COOKING STYLES MORE HAPPINESS IN LIFE

ELECTRIC OVEN · MICROWAVE OVEN · STEAM OVEN

FOTILE MASTER SERIES OVEN

With Constant Temperature Anyone Can Become A Chef

- ① 3D-hot-air circulation system balances airflow to maintain a stable and even temperature.
- ② 5 heating tubes with different functions work together to more accurately control the temperature inside the chamber.
- ③ The ten most useful baking pre-sets have been selected using customer feedback and industry research to maximize efficiency and make for an easier baking experience.
- ④ The Platinum-alloy Temperature Sensor is used to insure that you have precise control of the temperature inside of the oven.



- 70L Capacity
- Oversized Window
- Safe-to-be-touched Low-E glass door
- Damping Hinge
- Easy to use
- 3D-hot-ir Circulation



70L CAPACITY

Is your Thanksgiving turkey too big to fit in your oven? Are you tired of making multiple batches when baking? Our 70L capacity oven is specifically designed to relegate these situations to a thing of the past. Use it to bake anything you can think of. From everyday foods to individual and unique delicacies. With our increased capacity, you can make the most of your baking experience and do it in style at the same time.



CONSTANT TEMPERATURE

Interior temperature field is always constant. Bake like a professional chef from your own kitchen. Put burnt desserts in the rear-view mirror. Baked through perfectly with no need to stop and turn the tray. Making it easy to bake the perfect macaroon, soft on the inside, crispy on the outside. Tantalize your taste buds with the gourmet dishes you can create in this professional-grade oven.



The unique design of the hot-air filter located at the back of the oven balances the air volume flowing in and out and uses an optimal angle of 172 degrees in order to increase hot-air flow and create the most stable and even temperature possible.

The platinum-alloy temperature sensor and total five heating tubes provide unmatched quality and insure that you have precise control of the temperature inside of the oven. User-friendly and thoughtful designs.

The ten most useful baking pre-sets have been selected using customer feedback and industry research to maximize efficiency and make for an easier baking experience.

Unmatched DESIGN

When designing our products, we take the time to study every feature from the customer's perspective, guaranteeing that baking with this oven will be simple, convenient, and fun.

Unmatched Design




Easy To Use

The easy-to-understand three step process allows even the most novice baker to cook like a professional. All you need to do is: choose the mode, select the temperature, and input the desired time.



Anti-spill Grill

A small notch in the grill enables the grill to balance perfectly when you are pulling it out of the oven. This feature increases safety by preventing the possibility of your dish spilling onto you.



Damping Hinge

The oven door can stop at any angle. When the angle is 60 degrees, the door will automatically close.



Oversized Window

Provides a clear view of the interior allowing you to observe every step of the baking process.

Dual Fire Microwave and Light Wave Are Complementary to Each Other for Better Results

Microwaves heat outside in; light waves heat inside out.
It's now easier than ever to heat up different varieties of foods.



Express menu



Independent air
Passageway no odor left



Radiation protection



High Temperature and Enough Steam Makes Healthy and Delicious Meals for The Family

High Temperature and Enough Steam Makes Healthy and Delicious Meals for the Family Dual-effect Steam Technology, a 190mm heating plate, a unique heat collecting ring with double-heating tube spiral distribution, high-temperature polymerisation heating, an expanded heating area and improved heating efficiency. Powerful steam shortens cooking time, makes fluffier bread, smoother steamed eggs and prevents excessive dough fermentation.

*The contact area of the heating plate with water is twice that of the previous model



42L Capacity



Easy to Clean



Anti-condensation Technology



Dual-effect Steam Technology

Your Kitchen Helper To Complete Your Kitchen Needs

Sink Dishwasher



Volume size | **9** place settings

Family size | **2-5** people

Advantages



Wash seafood



Purify fruits and vegetables



Washing after each meal



No need to bend down

Installation method

Replaces old sink, easy to install and saves space

Built-in Dishwasher



Volume size | **15** place settings

Family size | **2-9** people


Advantages



Large capacity



Suitable for cleaning large kitchen utensils



Various cleaning modes

Installation method

Suitable to be built into cabinet

Sink dishwasher + built-in dishwasher

Double happiness for your loved ones



Advantages



Cleaning for any occasion



Separate washer for baby utensils




Purify fruits and vegetables



Wash seafood



Suitable for cleaning large kitchen utensils



Various cleaning modes



Craving for Fruits and Vegetables

Make sure you remove all the harmful pesticides

Residual pesticides in our fruits and vegetables can cause harm to children, pregnant women and the elderly. Tired of trying to hand wash your fruits and vegetables hoping to remove all the residual pesticides, let the FOTILE Sink Dishwasher clean your fruits and vegetables.

3X purification

Eliminates over 90% of fruit and vegetable pesticide residues

FOTILE's patented high-frequency ultrasound & turbulence & spray 3X fruit and vegetable purification feature not only removes dirt from the fruit and vegetable surfaces, but also removes over 90% of pesticide residues. This technology even eliminates secondary pollution caused by the ozone, detergents and other chemical treatments.

Pesticide analysis report			
Test subjects	Concentration of pesticides before test (mg/kg)	Concentration of pesticides after test(mg/kg)	Removal rate (%)
Clenbuterol	1.99	0.018	99.1
Phorate	2.02	0.05	97.5
Acephate	1.98	0.06	97.0
Omethoate	1.98	0.10	94.9
Dimethoate	1.98	0.13	93.4

*According to the testing data of the China Household Electrical Appliances Testing Institute

Effortlessly Cleans & Purifies From fruits and vegetables to even seafood



Pasteurizing Drying Process One-Step Total Bacterial Elimination

The FOTILE Sink Dishwasher boasts a saucer-shaped high-efficient heating plate with two functions. The first function is to rapidly heat up the water jets to efficiently remove animal fats and stubborn oils, while the second function is to rapidly generate high-temperature steam to remove Escherichia Coli, Staphylococcus Aureus, and other common bacteria to ensure total cleanliness of your kitchenware.

Sterilization Analysis Report

Test microbes	Test item	Unit	Limit value	Value
(Escherichia coli) 8099	Sterilization rate	%	≥99.9	>99.99
(Staphylococcus aureus) ATCC 6538	Sterilization rate	%	≥99.9	>99.99

*According to the testing data of the China Household Electrical Appliances Testing Institute

Heat Convection Drying Avoids Secondary Pollution caused from Wiping



After each wash, the dishwasher utilizes residual heat from the high temperature rinsing process. The exhaust fan will turn on for 30 minutes to dry the dishes and the inner walls of the dishwasher. This saves you from wiping off excess water and possibly causing secondary pollution.

Saving both on time as well as energy consumption, the FOTILE Sink Dishwasher leads to overall satisfaction and happiness.

Time-saving	Energy-saving
90 min vs 45 min (other) (FOTILE)	1 kWh vs 0.6 kWh (other) (FOTILE)

Disclaimer: The above comparisons are based on traditional dishwashers in the market.

For the clean that you can see and the real clean that you can't



Greasy dirty dishes are the inevitable results of any good meal! Many dishwashing brushes and cloths are prone to harboring bacteria that often cause illnesses. In addition, chemical components leftover from the washing process may find their way into your body, causing untold metabolic and health issues.

So how can you achieve thorough healthy cleanliness with your dishwasher? Introducing the FOTILE Sink Dishwasher SD2F-P1X. It's a Breath of Fresh Engineering.

All-Clean Intelligent Cleaning System

360° cleaning with no blind spots

FOTILE's rotary sprays and all-angle water spray design lets the Sink Dishwasher accurately calculate the water jet's spray and rotation angles to create a strong waterfall-like blanket of water for total and thorough cleansing.



| Innovation in Function |

Integration of multiple functions in decontamination, drying and storage All-Clean Intelligent Cleaning System



All-Clean surround spray


Four layers of washing to ensure every corner of your dishes cleaned well

2 main spray arms + 2 supporting spray arms at the back of the chamber enhance cleaning effect by forming a 4-layer enveloping spray, alongside with 37 larger spray holes for a wider coverage to clean dishes.



Top-class water effect promotes efficient cleaning

The built-in dishwasher series meets the national top-class water efficiency standard. The cleanliness and dryness index are also exceptional.




| Innovation in technology |

A new generation of dishwasher technology High Pressure HydroJet Technology

FOTILE's R&D personnel was inspired by the cleaning technology of the bottom of a submarine. By continuously injecting a stream of bubbles into the water, it removes stubborn heavy oil stains.

According to a reliable report from the State Key Laboratory of the Institute of Mechanics, Chinese Academy of Sciences (IMCAS), the High Pressure HydroJet Technology in FOTILE dishwashers effectively increases the impact force and erosion force of water flow compared with regular water washing, which greatly improves the cleaning ability and cleaning efficiency.



FOTILE Kitchen Appliances

Made for your styles




FOTILE Range Hood Series

Happiness Starts In Your Kitchen



Function configuration



Basic parameters

Max air flow (m³/h)(IEC 61591)	1390	1440	1450	1250
No. Speed	2+T	2+T	2+T	2+S
Noise level(dB) (IEC 60704)	46	52	51	54
Max Static Pressure (Pa)	990	1290	1100	450
Voltage	220V-240V/50Hz	220-240V 50Hz	220V~240V/50Hz	220V~240V/50Hz
Motor type	BLDC	BLDC	BLDC	AC
Motor power (W)	258	258	258	258
Illumination power(W*1)	10W	1.5W*2	10V/3W	10V/3W
Control type	Hood-hob linkage/Wave/Touch	Touch/Wave	Touch/Infrared Induction	Touch/Wave
Time Delay	2min	2min	2min	2min
Screen lock	Y	Y	N	Y
Special Design	Smart Air Diverter Stage-type light	Ambient light; Cleaning mode	/	/
Product size(mm)(WxDxH)	897x317x(981-1360)	895x525x(595-930)	895x470x405	900x405x435

1150	1420	1400	1090	1045
3+T	2+T	2+T	2+S	2
54	48	53	56	56f
400	880	1090	400	385
220V-240V/50Hz	220V-240V/50Hz	220-240V 50/60Hz	220V-240V/50Hz	220V-240V/50Hz
AC	BLDC	BLDC	AC	AC
270	258	258	268	268
2W	2	5W*1	2	2
Touch	Touch/Wave	Touch/Wave	Touch	Button
2min	2min	2min	2min	N
N	Y	N	N	N
Intelligent self adjusting/ Cleaning mode	/	/	Rounded edges to avoid bumps	Rounded edges to avoid bumps
900x515x640	895x512x(582-955)	895x507x(545-925)	891x434x(897-1287)	895x513x(450-870)

*IEC is the abbreviation of the International Electrotechnical Commission responsible for the international standardization work in the field of electrical engineering and electronic engineering. According to IEC standard, the standard number of air volume of range hood is IEC 61591.

FOTILE JE Cooktop Series



GEG86218



GEG86219

Basic parameters

Heating Load(kW)	L: 4.8 R: 4.8	L: 5.35 R: 5.35
Heating Efficiency	63%	60%
Gas type	NG	NG
Gas pressure (Pa)/Voltage	2000	2000
Power supply mode	Battery Supply	Mains Supply
Pan Support	Cast Iron	Cast Iron
Zero second ignition	Y	Y
Knob type	Cylindrical Bakelite Knob	Cylindrical Bakelite Knob
Product size(mm)(WxD)	860x460x160	860x460x160
Built-in size(mm)(WxD)	700x400	700x400

FOTILE EPS Series


Happiness Starts In Your Kitchen



GAG86309



GAS76202




GAS78307



D12B

L:4.85 M:1.75 R:4.85	L:4.85 M:1.75 R:4.85	L:4.85 M:1.75 R:4.85	4.85
60%	60%	60%	60%
NG	LPG/NG	NG	NG
2000	2000	2000	2000
Battery Supply	Battery Supply	Battery Supply	Battery Supply
Cast Iron	Cast Iron	Cast Iron	Flat steel
Y	Y	Y	Y
Cylindrical Bakelite Knob	Cylindrical Bakelite Knob	Cylindrical Bakelite Knob	Cylindrical Bakelite Knob
860x500	760x445	780x450	300x490
816x460	708x388	708x388	280x460

FOTILE TH Series



GHG78312



GHG78211



GHG73201



GHS71201

Basic parameters

Heating Load(kW)	L:5 M:1.7 R:5	L:5 R:5	L:5 R:5	L:5 R:5
Heating Efficiency	60%	60%	60%	60%
Gas type	NG	NG	NG	NG
Gas pressure (Pa)/Voltage	2000	2000	2000	2000
Power supply mode	Battery Supply	Battery Supply	Battery Supply	Battery Supply
Pan Support	Cast Iron	Cast Iron	Flat steel	Flat steel
Zero second ignition	Y	Y	Y	Y
Knob type	Cylindrical Bakelite Knob	Cylindrical Bakelite Knob	Cylindrical Bakelite Knob	Cylindrical Bakelite Knob
Product size(mm)(WxD)	780x450	780x450	730x410	730x410
Built-in size(mm)(WxD)	708x388	650-710x350-400	660x360	660x360

FOTILE Electric Cooktop Series



EIG76203



EIG30102



EEG30101

L:3 R:3 Total:3.4	3.0	2.4
≥88%	≥88%	>80%
/	/	/
220V-240V/50Hz	220V-240V/50Hz	220V-240V/50Hz
Mains Supply	Mains Supply	Mains Supply
/	/	/
/	/	/
Touch+Magnetic Knob	Touch	Touch
760x453x65	320x453	320x453
700x400	300x400	300x400

FOTILE Electric Oven Series



KSG7003AT



KSG7007A



KEG6010

NEW LAUNCH

Basic parameters

Control type	Touch	Rotary knob	Touch
Temperature range(°C)	40-250	40-250	28-250
Capacity(L)	70	70	60
Voltage	220V-240V/50Hz	220V-240V/50Hz	220V-240V
Power(W)	3180	2800	3100
Supply Current	16A	16A	16A
Accessories	Baking tray*1+Grill*1	Baking tray*1+Grill*1	Baking tray*1+Grill*1
Door	2x low-E glass	2x low-E glass	/
No. heating pipe	5	3	3
Special Design	Damping Hinge Cooking tips	Cooking tips Two light indicators showing oven status	Cooking tips
Product size(mm)(WxDxH)	595x552x595	595x552x595	595x595x552
Built-in size(mm)(WxDxH)	Full built-in: 598x(≥580)x598 Half built-in: 560x(≥550)x590	Full built-in: 598x(≥580)x598 Half built-in: 560x(≥550)x590	Full built-in: 560x598x(≥580) Half built-in: 560x590x(≥558)

FOTILE Steam Oven Series



HW25800K-C2GT

Basic parameters

Control type	Touch
Capacity(L)	25
Microwave frequency(MHz)	2450
Voltage	220V-240V/50Hz
Input power(W)	1350(Microwave)850(Grill)
Output power(W)	800
Supply Current	10A
Special Design	Express Menu Dual Fire Heating Independent AirPassageway
Product size(mm)(WxDxH)	595x368x385
Built-in size(mm)(WxDxH)	Half built-in: 560x550x360 Full built-in: 598x550x388

FOTILE Steam-Bake Oven



HYZK26-E1

Basic parameters

Control type	Rotary knob
Temperature range(°C)	30-230
Capacity(L)	26
Voltage	220V-240V/50Hz
Power(W)	2000
Supply Current	10A
Accessories	Baking tray*1+Grill*1+ Steam tray*1
Door	/
No. heating pipe	2
Special Design	Cooking tips
Product size(mm)(WxDxH)	451x478x355
Built-in size(mm)(WxDxH)	On-stage installation

FOTILE Microwave Oven Series



HW25800K-C2GT



HW 25800K-01AG



HW25800K-E2

NEW LAUNCH

Basic parameters

Control type	Touch	Pop-up knob+Buttons	Touch
Capacity(L)	25	25	25
Microwave frequency(MHz)	2450	2450	2450
Voltage	220V-240V/50Hz	220V-240V/50Hz	220V-240V/50Hz
Input power(W)	1350(Microwave)850(Grill)	1350(Microwave)850(Grill)	1250(Microwave)800(Grill)
Output power(W)	800	800	800
Supply Current	10A	10A	10A
Special Design	Express Menu Dual Fire Heating Independent AirPassageway	Express menu Dual Fire Microwave and Light Wave Independent Air Passageway	Express Menu Dual Fire Heating Independent AirPassageway
Product size(mm)(WxDxH)	595x368x385	595x368x385	595x368x385
Built-in size(mm)(WxDxH)	Half built-in: 560x550x360 Full built-in: 598x550x388	Half built-in: 560x550x360 Full built-in: 598x550x388	Half built-in: 598x550x360 Full built-in: 598x550x388

FOTILE Sink Dishwasher Series



SD2F-P1X

NEW LAUNCH

Basic parameters

Control	Touch
Capacity	For 2-5 people(20-24 pieces of cutlery)
Wash Time(min)	20,45,80
Door	Touch to Open the Door
Drying	Heat convection drying
Temperature(°C)	50/70/70
Voltage	220V-240V/50Hz
Power(W)	2000
Supply Current	10A
Sink Material	Food grade 304 stainless steel
Safety Protection	Intelligent Safety Lock
Product size(mm)	990x490x610 Sink size:500x385
Cut-out size(mm)	965x460

Basic parameters

Product dimensions (mm)	598(W) x 775(H) x 570(D)
Place setting (sets)	15
Cleaning program	6+4
Sprinkler system	Four blades & All-clean intelligent cleaning system
Half-load quick wash	Y
Smart space management system	Y
Cleaning storage	96 hours
LED notification	Y
Self-cleaning	Y
Top panel buttons	Y
Auto mode	Y



BD2B-G1

NEW LAUNCH